

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	SODIUM HYDROXIDE 99%
CAS-No.	1310-73-2
Product code	AR1172, RP1172

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Chemical for analysis and production.
-----------------	---------------------------------------

1.3 Details of the supplier of the safety data sheet

Company	RCI LABSCAN LIMITED. 24 Rama 1 Road, Pathumwan, Bangkok 10330 Thailand
Telephone number	(662) 613-7911-4
Fax number	(662) 613-7915

1.4 Emergency Telephone Number

Emergency phone	(662) 613-7911-4
-----------------	------------------

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Corrosive to metals (Category 1), H290
Skin corrosion (Category 1A), H314
For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

C Corrosive R35
For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger

Hazard statement(s)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.

Precautionary statement(s)

P234	Keep only in original container.
P260	Do not breathe dust.
P264	Wash hand thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant/ container with a resistant inner liner.

2.3 Other hazards None

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms Caustic soda, Sodium hydrate, Sodium lye, White Caustic.

CAS-No	EC-No	EC-Index-No	Formula	Molecular Weight	Weight %
1310-73-2	215-185-5	011-002-00-6	NaOH	40.00 g/mol	>99

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Concentration	Classification
Sodium hydroxide		
CAS-No 1310-73-2 EC-No 215-185-5 EC-Index-No 011-002-00-6	>99%	Corrosive to metals (Category 1), H290 Skin corrosion (Category 1A), H314

Hazardous ingredients according to Directive 1999/45/EC

Component	Concentration	Classification
Sodium hydroxide		
CAS-No 1310-73-2 EC-No 215-185-5 EC-Index-No 011-002-00-6	>99%	C, Corrosive, R35

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Move to fresh air in case of accidental inhalation of dust. Keep patient warm. In case of shortness of breath, give oxygen. Apply artificial respiration only if patient is not breathing or under medical supervision. No artificial aspiration mouth to mouth or mouth to nose. Use suitable instruments/apparatus.
Skin contact	Remove contaminated clothing and wash affected skin with soap and water. Dab with polyethylene glycol 400. Obtain medical attention.
Eye contact	If the substance has got into the eyes, immediately wash out with plenty of water at least 15 minutes. Obtain medical attention.
Ingestion	Rinse mouth. After swallowing make victim drink water (two glasses at the most), call in physician. Do not attempt to neutralize.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2.2 and section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Not Available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

In adaption to materials stored in the immediate neighborhood.

5.2 Special hazards arising from the substance or mixture

Non-combustible. Ambient fire may liberate hazardous vapors. The following may develop in event of fire: sodium oxides.

5.3 Advice for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

5.4 Further information

Contain escaping vapors with water. Prevent fire-fighting water from entering surface water or ground water.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Evacuate personnel to safe areas. Do not breathe vapors or spray mist. Shut off leaks if without risk. Keep people away from and upwind of spill/leak. For personal protective equipment see **Section 8**.

6.2 Environmental precautions

Do not allow to enter drinking water and sewerage system.

6.3 Methods and materials for containment and cleaning up

Carefully sweep up, gather and remove. Avoid generation of dusts. Keep in suitable, closed containers for disposal. Clean up affected area.

6.4 Reference to other sections

For disposal see **Section 13**.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Provision of good ventilation in the working area. Do not leave container open. Avoid spillage. Avoid rising dust.

7.2 Conditions for safe storage, including any incompatibilities

Keep tightly closed at room temperature in a dry, cool and well-ventilated place. Keep out of direct sunlight and away from heat, water, moisture and incompatible materials. Requirements for containers, no aluminium, tin, zinc containers.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

Application Area	Health Effects	Exposure	Value
Worker	Long-term Local effects	Inhalation	1 mg/m ³
Consumer	Long-term Local effects	Inhalation	1 mg/m ³

Predicted No Effect Concentration (PNEC)

Compartment	Value
Not Available	

8.2 Exposure controls

Appropriate engineering controls

The product should only be used in ventilation hoods and fans.

Individual protection measures (Personal protective equipment, PPE)

Eye/face protection

Goggles giving complete protection to eyes.

Skin protection

Chemical resistant apron / corrosive protective clothing, heavy duty work shoes.

Handle with gloves

- Full contact wears gloves from nitrile rubber material.
- Splash contact wears gloves from nitrile rubber material.

The select protective gloves have to satisfy the specifications of EU Directive 89/686 EEC and standard EN 374 derived from it.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Required when dusts are generated filter P2 (EN 143) or use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environmental exposure controls

Prevent liquid entering sewers, basements and workpits.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Form	Solid
: Color	White
Odour	Odorless
Odour Threshold	Not Available
pH	~14 at 50 g/l H ₂ O at 20°C
Melting point/range	323 °C
Boiling point/range	1390 °C at 1013 hPa
Flash point	Not Available
Evaporation rate	Not Available
Flammability (solid, gas)	Not Available
Explosion limits: lower	Not Available
upper	Not Available
Vapor Pressure	Not Available
Relative Vapor Density	Not Available
Density	2.13 g/cm ³ at 20°C
Bulk density:	Not Available
Water solubility	1090 g/l at 20°C

Partition coefficient (n-octanol/water)	Not Available
Auto-Ignition temperature	Not Available
Decomposition Temperature	Not Available
Viscosity	Not Available
Explosive properties	Not Explosive
Oxidizing properties	The substance or mixture is not classified as oxidizing.

SECTION 10: Stability and reactivity

10.1 Reactivity

Hygroscopic

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Risk of explosion in contact with bromine, acrylonitrile, butene-2-diol-1,4 (heat), calcium (powder), chloroform / acetone, chloropicrin, furfural, magnesium (humidity), methyl-3-pentene-2-ine-4-ol-1, nitrobenzene / methanol, nitrobenzene / salt, nitromethane, nitroparaffines / salt, peroxides (rare), silver nitrate, tetrachlorobenzene + methanol / heat, 1,1,1-trichloroethanol, zinc (humidity), tin (humidity).

The substance can react dangerously with aluminium (powder), chlorine, fluorine, organic substances, phosphorus, acids, water, hydrogen peroxide, acetone, aluminium phosphide, ammonium salts (ammonia), chlorine trifluoride, dichloroethane (self-igniting), ethylene oxide, glycol derivatives, hydrogen halides, hydrazine hydrate, hydroquinone, hydroxylamine, potassium persulphate, maleic anhydride, phosphorus trioxide, 2-propenal, 2-propene-1-ol, acid chlorides, hydrogen sulphide, trichloroethene, chloroform, water/ combustible substances.

The substance polymerize in contact with aldol, diketene, epichlorohydrin.

10.4 Conditions to avoid

Exposure to moisture.

10.5 Incompatible materials

Unsuitable materials: Lead, aluminium, zinc, tin.
See **section 10.3**.

10.6 Hazardous decomposition products

Sodium oxides (Hazardous decomposition products from under fire condition).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD₅₀ (oral, rat): 273 mg/kg.

Acute oral toxicity

Absorption

Symptoms: burns of mouth, pharynx, mucous membranes, oesophagus and gastrointestinal tract. Risk of perforation in the oesophagus and stomach.

Acute inhalation toxicity

Symptoms: burns of mucous membranes.

Skin corrosion/irritation

Burns

Serious eye damage/eye irritation

Burns. Risk of blindness.

Respiratory or skin sensitization

Not Available

Germ cell mutagenicity

Mutagenicity (mammal cell test): micronucleus s negative.

Bacterial mutagenicity (Escherichia coli) is negative.

Carcinogenicity

Not Available

Reproductive toxicity

Not Available

Teratogenicity

No teratogenic effect in animal experiments.

Specific target organ toxicity (STOT) - single exposure

Not Available

Specific target organ toxicity (STOT) - repeated exposure

Not Available

Aspiration hazard

Not Available

Further information

Systemic effects: Collapse, death.

The product should be handled with the care usual when dealing with chemicals.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

LC₅₀ Onchorhynchus mykiss: 45.4 mg/l /96h.

Toxicity to daphnia

EC₅₀ Daphnia magna: 76 mg/l /24 h.

and other aquatic invertebrates

12.2 Persistence and degradability

Biodegradability

Method for the determination of biodegradability is not applicable to inorganic substance.

12.3 Bioaccumulative potential

Partition coefficient (n-octanol/water)

Not Available

12.4 Mobility in soil

Not Available

12.5 Other adverse effects

Harmful effect on aquatic organisms. Toxic effect on fish and plankton. Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Does not cause biological oxygen deficit.

Neutralization possible in waste water treatment plants.

Do not allow to enter waters, waste water or soil.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding law and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste or burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

Contaminated packaging

Disposal in compliance with official regulations. Handle contaminated packaging as hazardous waste in the same way of the substance itself. If not officially specified differently, non-contaminated packaging may be treated like household waste or recycled.

SECTION 14: Transport information

Land Transport (ADR/RID)

UN Number	1823
UN proper shipping name	SODIUM HYDROXIDE, SOLID
Transport hazard class(es)	8
Packaging group	II
Environmental hazards	No
Special precautions for user	Yes

Sea transport (IMDG)

UN Number	1823
UN proper shipping name	SODIUM HYDROXIDE, SOLID
Transport hazard class(es)	8
Packaging group	II
Marine pollutant	No
Special precautions for user	Yes
EmS	F-A S-B

Air transport (IATA)

UN Number	1823
UN proper shipping name	SODIUM HYDROXIDE, SOLID
Transport hazard class(es)	8
Packaging group	II
Environmental hazards	No
Special precautions for user	No

River transport (AND/ADNR)

(Not examined)

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not Available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.

Full text of R-phrases referred to under sections 2 and 3

C	Corrosive
R35	Causes severe burns.

Recommended restrictions

Take notice of labels and safety data sheets for the working.

Reference

Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Labelling according to EC Directives 67/548 EEC and Regulation (EC) No 1272/2008.

Transportation information according to Recommendations on the Transport of Dangerous Goods, Model Regulations. Twelfth revised edition. United Nations.

Institute for Occupational Safety and Health of the German Social Accident Insurance in Sankt Augustin/Germany, Source: IFA for Databases on hazardous substances (GESTIS).

Further information

Contact to RCI Labscan Limited.

Revision Date

09/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.