

Page: 1

Revised edition no: 0

Date: 25 / 9 / 2012

Supersedes: 0 / 0 / 0

MERCURIC SULPHATE AR/ACS MSDS CAS: 007783-35-9

04585

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name : MERCURIC SULPHATE AR/ACS

Product code : 04585

Identification of the product : MERCURIC SULPHATE AR

CAS No :7783-35-9

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use** : Industrial. For professional use only.

#### 1.3. Details of the supplier of the safety data sheet

Company identification : LOBA CHEMIE PVT.LTD.

107 Wode House Road, Jehangir Villa, Colaba

400005 Mumbai INDIA

Contact: +91 22 6663 6663 / Fax +91 22 6663 6699 / info@lobachemie.com Safety Officer: + 91 98213 31336 / + 91 98214 86040 / safety@lobachemie.com

#### 1.4. Emergency telephone number

**Phone nr** : + 91 22 6663 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

#### 2.1. Classification of the substance or mixture

# Classification EC 67/548 or EC 1999/45

Classification : T+; R26/27/28

R33 N; R50-53

### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Acute toxicity, dermal - Category 1 - Danger (CLP : Acute Tox. 1) H310

Acute toxicity, Oral - Category 1 - Danger (CLP : Acute Tox. 1) H300

Acute toxicity, Inhalation - Category 2 - Danger (CLP : Acute Tox. 2) H330

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP

: Aquatic Acute 1) H400

Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (

CLP : Aquatic Chronic 1) H410

#### 2.2. Label elements



Page: 2

Revised edition no: 0

Date: 25 / 9 / 2012

Supersedes: 0 / 0 / 0

# MERCURIC SULPHATE AR/ACS MSDS CAS: 007783-35-9

04585

## 2. Hazards identification -DSD (continued)

#### Labelling EC 67/548 or EC 1999/45

Symbol(s)





Symbol(s) : T+: Very toxic

N: Dangerous for the environment

R Phrase(s) : R26/27/28 : Very toxic by inhalation, in contact with skin and if swallowed.

R33: Danger of cumulative effects.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

S Phrase(s) : S13 : Keep away from food, drink and animal feedingstuffs.

S28: After contact with skin, wash immediately with

S45: In case of accident or if you feel unwell, seek medical advice immediately (

show the label when possible).

S60 : This material and its container must be disposed of as hazardous waste. S61 : Avoid release to the environment. Refer to special instructions/Safety data

sheets.

#### Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms







Signal words : Danger

**Hazard statements** : H300 : Fatal if swallowed.

H310: Fatal in contact with skin.

H330: Fatal if inhaled.

H410: Very toxic to aquatic life with long lasting effects.

**Precautionary statements** 

• **Prevention** : P284: Wear respiratory protection.

P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P260: Do not breathe dust, fume, gas, mist, vapours, spray.

P273: Avoid release to the environment. P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

• Response : P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor.

P391: Collect spillage.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position

comfortable for breathing.

P302+P350: IF ON SKIN: Gently wash with plenty of soap and water.

P363: Wash contaminated clothing before reuse. P361: Remove immediately all contaminated clothing.



Page: 3

Revised edition no: 0

Date: 25 / 9 / 2012

Supersedes: 0 / 0 / 0

MERCURIC SULPHATE AR/ACS MSDS CAS: 007783-35-9

04585

## 2. Hazards identification -DSD (continued)

• Storage : P403+P233: Store in well-ventilated place. Keep container tightly closed.

P405: Store locked up.

• Disposal considerations : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

#### 3. Composition/information on ingredients

Substance / Preparation : MERCURIC SULPHATE AR

CAS No:7783-35-9

Substance.

Contains no other components or impurities which will influence the classification of the product.

#### 4. First aid measures

#### 4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest. Specific treatment is urgent (see

on this label). Remove to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a POISON CENTER or doctor.

**Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse. Wash contaminated clothing before reuse. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Specific treatment (see on this label). Immediately call a POISON

CENTER or doctor.

Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist.

Ingestion : Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or

doctor. Specific treatment (see on this label).

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Fatal if swallowed.

Fatal in contact with skin.

Fatal if inhaled.

# 4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).



Page: 4
Revised edition no: 0
Date: 25 / 9 / 2012

Supersedes: 0 / 0 / 0

MERCURIC SULPHATE AR/ACS MSDS CAS: 007783-35-9

04585

## 5. Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media** : Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

#### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

#### 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.

Store away from other materials.

#### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

#### 7. Handling and storage

## 7.1. Precautions for safe handling



Page: 5
Revised edition no: 0
Date: 25 / 9 / 2012

Supersedes: 0 / 0 / 0

# MERCURIC SULPHATE AR/ACS MSDS CAS: 007783-35-9

04585

# 7. Handling and storage (continued)

**Handling** : Do not breathe dust, fume, gas, mist, vapours, spray. Use only outdoors or in a

well-ventilated area. Wash thoroughly after handling. Do not eat, drink or smoke

when using this product.

**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container

tightly closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

#### 8. Exposure controls/personal protection

#### 8.1. Exposure controls

Personal protection: Avoid all unnecessary exposure.• Respiratory protection: Wear respiratory protection.• Hand protection: Wear protective gloves.

Eye protection
 Chemical goggles or safety glasses.
 Others
 When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

#### 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : White crystalline
Odour : Odorless

Odour threshold : No data available.

pH value : Not applicable.

Melting point [°C] : No data available.

Decomposition point [°C] : N/A Critical temperature [°C] : N/A



Page : 6

Revised edition no : 0
Date : 25 / 9 / 2012

Supersedes: 0 / 0 / 0

# MERCURIC SULPHATE AR/ACS MSDS CAS: 007783-35-9

04585

# 9. Physical and chemical properties (continued)

Auto-ignition temperature [°C] : N/A Flammability (solid, gas) : N/A : N/A Flash point [°C] Boiling point [°C] : N/A : N/A Initial boiling point [°C] Final boiling point [°C] : N/A **Evaporation rate** : N/A : N/A Vapour pressure [20°C] Vapour pressure mm/Hg : N/A Vapour density : N/A Density [g/cm3] : 6,47 Relative density, gas (air=1) : N/A Relative density, liquid (water=1) : N/A Solubility in water [% weight] : N/A : N/A Solubility in water

Log Pow octanol / water at 20°C : No data available.

Solubility : N/A Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

# 10. Stability and reactivity

### 10.1. Reactivity

**Reactivity** : Not established.

10.2. Chemical stability

**Chemical stability** : Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

**Hazardous reactions** : Not established.

10.4. Conditions to avoid



Page: 7
Revised edition no: 0
Date: 25 / 9 / 2012

Supersedes: 0 / 0 / 0

# MERCURIC SULPHATE AR/ACS MSDS CAS: 007783-35-9

04585

## 10. Stability and reactivity (continued)

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

# 11. Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity

• Inhalation : Fatal if inhaled.

Dermal : Fatal in contact with skin.Ingestion : Fatal if swallowed.

: Based on available data, the classification criteria are not met. Corrosion Irritation : Based on available data, the classification criteria are not met. Sensitization : Based on available data, the classification criteria are not met. Mutagenicity : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. Carcinogenicity **Toxic for reproduction** : Based on available data, the classification criteria are not met. STOT-single exposure : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. STOT-repeated exposure : Based on available data, the classification criteria are not met. **Aspiration hazard** 

# 12. Ecological information

12.1. Toxicity

**Toxicity information**: Very toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.



Page: 8

Revised edition no: 0

Date: 25 / 9 / 2012

Supersedes: 0 / 0 / 0

MERCURIC SULPHATE AR/ACS MSDS CAS: 007783-35-9

04585

## 12. Ecological information (continued)

#### 12.4. Mobility in soil

Mobility in soil : Not established.

# 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

**Environmental precautions** : Avoid release to the environment.

#### 13. Disposal considerations

#### 13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Hazardous waste due to toxicity.

## 14. Transport information

# 14.1. Land transport (ADR-RID)

Proper shipping name : MERCURY SULPHATE

UN N° : 1645 H.I. nr : 60 ADR - Class : 6.1

**Labelling - Transport** : 6.1 : Toxic substances.



ADR - Classification code : T5
ADR - Group : II
ADR - Packing instructions : P002
ADR - Limited Quantity : 500 G



Page : 9
Revised edition no : 0

Date: 25 / 9 / 2012 Supersedes: 0 / 0 / 0

# MERCURIC SULPHATE AR/ACS MSDS CAS: 007783-35-9

04585

### 14. Transport information (continued)

ADR - Tunnel code : D/E : Bulk or tank carriage: Pa

: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.



# 14.2. Sea transport (IMDG) [English only]

Proper shipping name : MERCURY SULPHATE

**UN N°** : 1645

**IMO-IMDG - Class or division** : 6.1 : Toxic substances.

IMO-IMDG - Packing group: IIIMO- IMDG - Packing instructions: P002IMO-IMDG - Limited quantities: 500 gIMO-IMDG - Marine pollution: YesEMS-Nr: F-A S-A

#### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : MERCURY SULPHATE

UN N° : 1645

IATA - Class or division : 6.1 : Toxic substances.

IATA - Packing group : II

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing : 669

instruction

- Passenger and Cargo - Maximum : 25 kg

Quantity/Packing

IATA - Cargo only : ALLOWED

- Cargo only - Packing instruction : 676- Cargo only - Maximum Quantity/ : 100 kg

Packing

IATA - Limited Quantites : 1 kg ERG-Nr : 6L

#### 15. Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the

: Ensure all national/local regulations are observed.

substance or mixture

Substance of infature



Page: 10

Revised edition no: 0

Date: 25 / 9 / 2012

Supersedes: 0 / 0 / 0

MERCURIC SULPHATE AR/ACS MSDS CAS: 007783-35-9

04585

### 15. Regulatory information (continued)

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

#### 16. Other information

Revision - See : \*

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document