

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 26.05.2017

Version 9.1

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 101509

Product name Silver sulfate GR for analysis ACS

REACH Registration Number A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. 10294-26-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number **Please contact the regional company representation in your country.**

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

Serious eye damage, Category 1, H318

Acute aquatic toxicity, Category 1, H400

Chronic aquatic toxicity, Category 1, H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

P280 Wear eye protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Reduced labelling (≤ 125 ml)

Hazard pictograms



Signal word

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

Danger

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P280 Wear eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Contains: silver sulfate

CAS-No. 10294-26-5

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	Ag ₂ SO ₄	Ag ₂ O ₄ S (Hill)
EC-No.	233-653-7	
Molar mass	311,8 g/mol	

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No.	Registration number	Classification
---------	---------------------	----------------

silver sulfate (<= 100 %)

10294-26-5 *)

Serious eye damage, Category 1, H318

Acute aquatic toxicity, Category 1, H400

Chronic aquatic toxicity, Category 1, H410

M-Factor: 1.000

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion

Risk of serious damage to eyes.

Risk of permanent damage due to staining of the cornea.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Protected from light. Tightly closed. Dry.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

Form	powder
Colour	white
Odour	odourless
Odour Threshold	Not applicable
pH	5 - 6 at 5 g/l 25 °C
Melting point	655 °C
Boiling point	No information available.
Flash point	does not flash
Evaporation rate	No information available.
Flammability (solid, gas)	The product is not flammable.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	5,45 g/cm ³ at 20 °C
Relative density	No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

Water solubility	8 g/l at 25 °C
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	> 1.000 °C
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

9.2 Other data

Ignition temperature	not combustible
Bulk density	ca. 1.200 kg/m ³

SECTION 10. Stability and reactivity

10.1 Reactivity

has a corrosive effect

10.2 Chemical stability

Sensitivity to light
Decomposes on exposure to light.

10.3 Possibility of hazardous reactions

no information available

10.4 Conditions to avoid

no information available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

10.5 Incompatible materials

Aluminium, Mild steel

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: > 5.000 mg/kg

OECD Test Guideline 401

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

Symptoms: After long-term exposure to the chemical:, discolouration

Skin irritation

Rabbit

Result: No skin irritation

OECD Test Guideline 404

Eye irritation

Rabbit

Result: Corrosive

OECD Test Guideline 405

Risk of permanent damage due to staining of the cornea.

Causes serious eye damage.

Sensitisation

This information is not available.

Germ cell mutagenicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

Genotoxicity in vitro

Mutagenicity (mammal cell test): micronucleus.

Human lymphocytes

Result: negative

Method: OECD Test Guideline 487

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

semi-static test LC50 Pimephales promelas (fathead minnow): 0,0017 mg/l; 96 h

Analytical monitoring: yes

US-EPA

Toxicity to daphnia and other aquatic invertebrates

semi-static test LC50 Daphnia magna (Water flea): 0,00032 mg/l; 48 h

Analytical monitoring: yes

(Lit.)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

Toxicity to algae

flow-through test EC10 *Pseudokirchneriella subcapitata* (green algae): 0,00059 mg/l; 24 h

Analytical monitoring: yes

(ECHA)

Toxicity to fish (Chronic toxicity)

flow-through test NOEC *Pimephales promelas* (fathead minnow): 0,00051 mg/l; 32 d

Analytical monitoring: yes

(ECHA)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

semi-static test EC10 *Daphnia magna* (Water flea): 0,00308 mg/l; 21 d

Analytical monitoring: yes

(ECHA)

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3077
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S. (SILVER SULFATE)
14.3 Class 9
14.4 Packing group III
14.5 Environmentally hazardous yes
14.6 Special precautions for user yes
Tunnel restriction code E

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 3077
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S. (SILVER SULFATE)
14.3 Class 9
14.4 Packing group III
14.5 Environmentally hazardous yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

14.6 Special precautions for user no

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

Sea transport (IMDG)

14.1 UN number UN 3077

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (SILVER SULFATE)

14.3 Class 9

14.4 Packing group III

14.5 Environmentally hazardous yes

14.6 Special precautions for user yes

EmS F-A S-F

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III

Legislation ENVIRONMENTAL HAZARDS

E1

Quantity 1: 100 t

Quantity 2: 200 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of $\geq 0.1\%$ (w/w).

National legislation

Storage class 10 - 13

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101509
Product name Silver sulfate GR for analysis ACS

Danger

Hazard statements

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

P280 Wear eye protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Contains: silver sulfate

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.